

The 7 or 9-Cell Plus Reserve Tactical Canopies constructed entirely of 0.5-3CFM Ripstop Nylon and Dacron suspension lines was designed to satisfy the highest requirements for a tactical military missions.

These reserve canopies are the complement of several main canopies with similar characteristics to assure the successful during the mission. All of them can be used as main canopy too.

There are reserve canopies with Standard (STD) and By Pass (BP) configuration.

Its characteristics turn these canopies into an excellent reserve canopies for HALO/HAHO tactical missions even for tandem jumps with oxygen and heavy cargo systems.



Model	PLUS-350	PLUS-325	PLUS-325BP	PLUS-360BP	PLUS-360	PLUS-400BP
P/N Canopy	317538-350	317515-325	317563-325	317563-360	317515-360	317563-400
Configuration	Standard	Standard	By Pass	By Pass	Standard	By Pass
Fabric	0.5-3CFM	0.5-3CFM	0.5-3CFM	0.5-3CFM	0.5-3CFM	0.5-3CFM
Suspension lines	Dacron 700Lb	Dacron 700Lb	Dacron 700Lb	Dacron 700Lb	Dacron 700Lb	Dacron 700Lb
Nr of Cells	7	9	9	9	9	9
Size (Ft ²)	350	325	325	360	360	400
Shape	Square	Square	Square	Square	Square	Square
Max. Operating Speed (KIAS)	150	150	165	165	165	165
Max. Operating Weight (kg)	160	160	205	205	205	260
Min. Recommended Weight (kg)	80	74	74	82	82	91
Max. Deployment Altitude (Ft)	33000	33000	25000	25000	25000	25000
Min. Deployment Altitude (Ft)	1500	1500	1500	1500	1500	1500
Glide Ratio (L/C)	4:1	4:1	4:1	4:1	4:1	4:1
Central Chord (m)	3.92	3.34	3.34	3.52	3.52	3.71
Extreme Chord (m)	3.92	3.34	3.34	3.52	3.52	3.71
Span (m)	8.21	9.01	9.01	9.48	9.48	10.00
Aspect Ratio	2.10	2.70	2.70	2.70	2.70	2.70

BARCELONA

P.I. El Ramassar c/ Vallés, s/n
08520 Las Franquesas (SPAIN)
Tel. (+34) 938 617 040
Fax. (+34) 938 617 041

MADRID

Paseo de la Castellana, 115
28046 Madrid (SPAIN)
Tel. (+34) 915 631 744
Fax. (+34) 915 633 623

ISO 9001:2008
EN 9100:2010
PECAL/AQAP-2110
EASA 21A.G